



Product Specification Sheet

Rama 175 FFT Fresnel 7°- 56°



The Rama High Performance 175 FFT Fresnel (1.0kW / 1.2kW, 175mm lens) provides an adjustable cone of light has a soft edge and is easily blended with adjacent beams to provide even illumination. The large 175mm lens provides up to 50% more illumination than conventional 150mm Fresnels.

The Rama High Performance 175 FFT Fresnel uses Fast Focus Technology to reduce focus time, another Selecon innovation.

Features

Fast Focus Technology reduces focus time:

Grip and twist for fast/precise pan adjustment

Twist and tilt for fast/precise tilt adjustment

NO TOOLS REQUIRED!

Suppress glass lens produces crisp white light.

Integrated safety bond rated for the fitting; maximum free length = 670mm.

Adjustable yoke balance point.

'Swing-down' door for easy access to lamp or cleaning. Disconnects the mains power supply on opening.

Smooth 'posi-slide' focus system, no metal to metal contact.

Constructed of aluminium extrusion and moulded engineering plastics.

Cooler operation due to use of engineering plastics on front (colour frame mount) and rear of luminaire.

Heat-insulated rear grab-handle which doubles as handy storage for the 1m cable length.

Pan, tilt and focus scales are in real degrees allowing for accurate WSIYWYG implementation.

Lamps: 220V -240V

| | |
|---|------------------------|
| T/29 1200W 27,600 lumens | 480 hours average life |
| CP90 1200W 30,000 lumens | 400 hours average life |
| T/11 T/19 1000W 21,500 lumens | 900 hours average life |
| CP70 1000W 25,000 lumens | 400 hours average life |

Order codes

16RAFR175FT
Rama 175 Fresnel - GX9.5 lamp base
FFT yoke

16RAFR175G22FT
Rama 175 Fresnel - G22 lamp base
FFT yoke

16RAFR175MY
Rama 175 Fresnel - GX9.5 lamp base for
motorised yoke

20BDSF12
Rama barndoor

20SM6
Lens safety mesh

Approvals

Compliant to CE standards.




Photometric data

Tests conducted using a standard T29, 1200W, 230V lamp.

Peak candela at 7° - 228,939

Peak candela at 56° - 27,158




Physical data

Weight: 5.6kg

Packed weight: 6.5kg

Colour frame size: 186mm x 190mm

Included: 1x colour frame & instruction sheet



Selecon reserves the right to change the specifications without notice (06/08)